



IPSO ILC98 WASHING MACHINE

DIMENSIONS:

Height: 1121mm
Width: 683mm
Depth: 744mm

CAPACITY:

9.5kg

IDEAL FOR:

-  INDUSTRIAL
-  EDUCATION
-  HOSPITALITY
-  PUBLIC SECTOR
-  HEALTHCARE
-  VENDED LAUNDRY
-  ANIMAL CARE

FEATURES:

- ▶ Pre-programmed cycles for ease of selection
- ▶ Enhanced wash options
Eco option for smaller loads
- ▶ Leak detection feature
- ▶ Manual auditing of cycle counts
- ▶ Lifetime data history
- ▶ Fully updateable firmware for future proofing

- ▶ Unique serpentine baffles scoop water in either direction for enhanced wash action
- ▶ Instant door release on completion
- ▶ Dynamic balancing and re-designed suspension

OPTIONS:

- ▶ Sluice option available
- ▶ OPL or coin operated
- ▶ Self heat or boiler fed
- ▶ Pump or gravity drain
Auto-dose ready

REGULATIONS:

- ▶ WRAS approved category 5
- ▶ Complies with CQC requirements
- ▶ WTL approved

ONECARE^{cc} This machine is eligible for our all inclusive service solution, One Care.

ILC98 WASHER	ILC 98 WASHER
Capacity	9.5kg
Height	1121 mm
Width	683 mm
Depth	744 mm
Net Weight	122 kg
Drum Volume	97l
G Force	440 G
Microprocessor Control	Y
Free Standing	Y
No. of Water Connections	1/1
Water Connection Size	3/4 BSP
Exhaust Diameter	
Make-Up Air	
Airflow m ³ /min ; ft ³ /min	
Drain Connection: Pump standpipe	50/ 2 mm / in
Drain Valve	50/ 2 mm / in
Gas Rating kW ; BTU	
Gas Connection Size	
Electrics	
4.8kw Boiler Fed Washer	230 V/1ph/10 Amp
Self Heat Washer	230 V/1ph/25 AMP
Electric Heat Dryer	
Gas Dryer	
Optional Electrics	
2.4kw Self Heat Washer	230 V/1ph/13 Amp
4.8kw Self Heat Washer	400 V/3ph/10 Amp



IPSO ILC98 TUMBLE DRYER

DIMENSIONS:

Height: 1121mm
Width: 683mm
Depth: 711mm

CAPACITY:

9.5kg

IDEAL FOR:

- INDUSTRIAL
- HOSPITALITY
- HEALTHCARE
- ANIMAL CARE
- EDUCATION
- PUBLIC SECTOR
- VENDED LAUNDRY

FEATURES:

- ▶ Pre-programmed cycles for ease of use.
- ▶ Four different temperature settings to suit any load of laundry.
- ▶ Manual auditing of cycle counts and lifetime data history.
- ▶ Fully-updatable firmware so that your machine runs smoothly.

- ▶ Auto-dry programmes available to save time and effort.
- ▶ Large door opening for easy loading and unloading of items.
- ▶ Vented Dryer

OPTIONS:

- ▶ Coin-op models available
- ▶ Stackable with ILC98 washers
- ▶ Available in gas and electric models

REGULATIONS:

- ▶ WRAS approved category 5
- ▶ Complies with CQC requirements
- ▶ WTL approved

ONECARE^{cc} This machine is eligible for our all inclusive service solution, One Care.

ILC98 DRYER	ILC 98 DRYER
Capacity	9.5kg
Height	1121 mm
Width	683 mm
Depth	711 mm
Net Weight	68 kg
Drum Volume	201l
G Force	
Microprocessor Control	Y
Free Standing	Y
No. of Water Connections	
Water Connection Size	
Exhaust Diameter	102 ; 4" mm ; in
Make-Up Air	0.013 ; 20 m2 ; in2
Airflow m3/min ; ft3/min	5.1 ; 180
Drain Connection: Pump standpipe	
Drain Valve	
Gas Rating kW ; BTU	5.9 ; 20,000
Gas Connection Size	3/8 BSP
Electrics	
4.8kw Boiler Fed Washer	
Self Heat Washer	
Electric Heat Dryer	230 V/1ph/25 AMP
Gas Dryer	230 V/1ph/10 AMP
Optional Electrics	
2.4kw Self Heat Washer	
4.8kw Self Heat Washer	