



SCHULTHESS S100.20

DIMENSIONS:

1 Metre x 20 cm

IDEAL FOR:

 [Call us for more info](#)

FEATURES:

▶ Reduced Utilities Costs

The Schulthess S100 model boasts an electronic temperature control system and a redesigned heat distribution system, resulting in significantly reduced electricity consumption. They also feature the lightest footprint in the industry.

▶ Chromed Steel Chest

Chromed steel is the ideal material for ironing, offering exceptional resistance to friction and unparalleled durability.

▶ Convenient Automatic Chest Movement

A simple press on the foot pedal initiates or halts roller rotation and opens or closes the chest for linen feeding. Both chest movement and roller rotation are powered by an electric motor.

▶ Practical Foot Pedal

Allows for easy stopping of roller rotation, freeing up hands for linen placement during the feeding process.

▶ Electronic Temperature Control:

Provides precise temperature adjustment by 1°C for optimal fabric treatment.

▶ User-Friendly Control Panel:

Large and intuitive interface for easy operation and understanding.

▶ Aluminium Feeding Table:

Specially designed feeding profile simplifies linen feeding, while the easy-to-clean aluminium surface ensures hygiene.

▶ Low-Cost Maintenance:

Streamlined construction and minimal components result in minimal maintenance expenses.

ONECARE[∞] This machine is eligible for our all inclusive service solution, One Care.

S100.20

| | | |
|--|---------|-------------------------------------|
| Roller Dimensions | mm | 1000 x Ø 200 |
| Standard Supply Tension * | | 230V / 1 / 50Hz 415V / 3N / 50Hz |
| Heating Power | kW | 3.6 |
| Motor | kW | 0,18 |
| Absorption | Amps | 230V / 1 : 13A 415V / 3 : 6A |
| Ironing Speed, Variable | m / min | 1 - 5 |
| Steam Extraction | | n/a |
| Feeding basin | | option |
| Hourly Production (Recommended Moisture) | kg | 20 (15%) |
| Ironer Dimensions (WxDxH) | mm | 1305 x 420 x 933 |
| Packing Dimensions, crated (WxDxH) | mm | 1450 x 550 x 1120 |
| Weight, Gross/Net | kg | 85.5 / 74 |
| * DIFFERENT VOLTAGES THAN INDICATED AVAILABLE ON REQUEST | | |